


男子用ダブルスカル (DF-2XM) リガー構造図



製	
図	
訂	
正	



有限デルタジャパン
 会社
 〒335-0022 埼玉県戸田市上戸田1-10-1
 TEL 048-433-4495 FAX 048-433-4494
 E-mail: boat@deltajapan.co.jp

設計	製造	検査	承認	名称	図面番号	図面番号
				男子用ダブルスカル (DF-2XM)	2004-03-18	03-2
				リガー構造図	04M201	1/2, 1/5

$S=1/2$



Technical drawing of a rectangular plate with dimensions and hole locations. The overall dimensions are 118 (width) and 105 (height). The plate has four corner holes and a central hole. The dimensions for the holes are as follows:

- Top-left hole: 41 from the left edge, 41 from the top edge.
- Top-right hole: 41 from the right edge, 41 from the top edge.
- Bottom-left hole: 41 from the left edge, 41 from the bottom edge.
- Bottom-right hole: 41 from the right edge, 41 from the bottom edge.
- Central hole: 57 from the left edge, 57 from the top edge.

The central hole is labeled "M6 x 10ネジ穴". The distance from the central hole to the top edge is 57, and the distance from the central hole to the bottom edge is 57. The distance from the central hole to the left edge is 57, and the distance from the central hole to the right edge is 57. The distance from the central hole to the top-left corner hole is 28, and the distance from the central hole to the bottom-left corner hole is 31. The distance from the central hole to the top-right corner hole is 28, and the distance from the central hole to the bottom-right corner hole is 31. The distance from the central hole to the top edge is 57, and the distance from the central hole to the bottom edge is 57. The distance from the central hole to the left edge is 57, and the distance from the central hole to the right edge is 57.

Technical drawing of a rectangular plate with the following dimensions and specifications:


- Overall width: 93
- Overall height: 75
- Inner rectangular area width: 51
- Inner rectangular area height: 40
- Distance from left edge to inner area: 4
- Distance from right edge to inner area: 4
- Distance from top edge to inner area: 6
- Distance from bottom edge to inner area: 17
- Distance from left edge to first hole center: 17
- Distance between hole centers: 51
- Distance from last hole center to right edge: 17
- Hole diameter: $\varnothing 13$
- Hole spacing: $4 @ 13 = 52$
- Plate thickness: 4.0




男子用ダブルスカル (DF-2XM) 部品図 (2)

S=1/2

ストレッチャー板



ストレッチャー横バー



	A	B
#1	311	286
#2	301	276

訂正

DELTA
JAPAN

有限デルタジャパン
会社
〒335-0022 埼玉県戸田市上戸田1-10-1
TEL 048-433-4495 FAX 048-433-4494
E-mail: boat@delatjapan.co.jp

設計 製造 用資 承認 名称
部品図 (2)

男子用ダブルスカル (DF-2XM)

図面番号
2004-03-18
03-4
04M201

縮尺
1/2